

6061 1'4

154826

Work Order ID 154826

154826

Page 1

Thursday, December 22, 2016 7:17:02 AM

Item ID: 647.1713

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Spacer

Start Date: 12/23/2016 Start Qty: 20.00

20

Cust Item ID:

Required Date: 1/9/2017 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan:

DAS
21
9-89

Date: DEC 22 2016

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
647.1700	E

110

0.00

110

Hardinge

Memo

0.00

Hardinge CNC Lathe Small

Turn as per dwg

2-Deburr if necessary

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Memo

0.00

Quality Control

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.00

Quality Control

30

4

DAS
45 1735
9-89

30

4

DAS
45 1735
9-89

30

4

DAS
14
9-89
17/03/06

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Description Work Order Deviation				Disposition																																																													
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 154826

Thursday, December 22, 2016 7:17:02 AM

154826

Page 2

Item ID: 647.1713 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Spacer
Start Date: 12/23/2016 Start Qty: 20.00 ***20*** Cust Item ID:
Required Date: 1/9/2017 Req'd Qty: 20.00 ***20*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

160

Outsource process-Anodize per QSI017 4.1.10.1

0.00

160

Outsource4

Memo

0.00

Outsource process - Anodize

Issue P/O to ATG : 35521

1- Black Anodize as per Dwg, SEE NOTE #3

2- PRIME AS PER DWG, SEE NOTE #3

Certification of Comformity is required

20 MAR 08 2017 DAS
13
9-89

170

Receive & Inspect for Damage & Mat'l Certs

0.00

170

Packaging

Memo

0.00

Packaging

30 x SP17-03-27

180

QC5- Inspect part completeness to step on W/O

0.00

180

QC

Memo

0.00

Quality Control

2.3 mils thickness primer

30 MAR 28 2017 DAS
38
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Work Order ID 154826***154826***

Page 3

Thursday, December 22, 2016 7:17:02 AM

Item ID: 647.1713

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Spacer

Start Date: 12/23/2016 Start Qty: 20.00

20

Cust Item ID:

Required Date: 1/9/2017 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
210	Identify as per dwg & Stock Location: <u>CC108</u>	0.00							
210									
Packaging	Memo	0.00							
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								
220	QC21- Final Inspection - Work Order Release	0.00							
220									
QC	Memo	0.00							
Quality Control									

30 DAS
6
9-89

MAR 29 2017

17/3/30

mf
17-3-29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

35112

Picklist Print

Thursday, December 22, 2016 7:17:01 AM

Page 1

Work Order ID: 154826

154826

Parent Item: 647.1713

647 1713

Parent Item Name: Spacer

Start Date: 12/23/2016

Required Date: 1/9/2017

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP REV:A 12.10.04 NEW ISSUE DD VERF:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6R1.250		Purchased	No				f	10.5340		0.421053			

M6061T6R1 250

**

6061-T6 Round Bar 1.250

Location

Loc Qty

Loc Code

MAT012

10.534

m131891

2.534

m135987

8

0.94 PF
DAS 45 17-35
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐



Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____						
Misidentified	☐	Past Due	☐							

QTY		PARTS LIST	
NEKI ASSY (S)		 3030 ENTERPRISE CT SUITE A VISTA, CA 92081 (760)-774-5300	
647.1300		ORIGINAL DATE 08/05/08 DRAWN BY ECHICER P. BAYAO S. HUFF DRAWING APPROVAL 08/05/08 CONTRACT NO.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS .010 3 PLACE DECIMALS .005 ANGLES .5°			
SCAF		SKID DEFLECTOR ASSY	
B 072M6		DWG. NO. 647.1700	
3/16" ALUM. NOD9		SHEET 1 OF 2	

1 2 3 4 5 6 7 8








THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



SECTION AA
TYP ALL CONFIGURATIONS

ORIGINAL DATE 24-01-10		08-05-07	
DRAWN BY S. HUFF		CHECKED P. BRAVO	
DRAWING APPROVAL P. BRAVO		CONTRACT NO.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ± .5°		DART 3030 ENTERPRISE CT., SUITE A VISTA, CA 92081 (760) 724-5300 APICAL INDUSTRIES, INC. DBA DART AEROSPACE	
TITLE B		CAGE CODE 07M26	
DWG. NO. 647.1700		REV. E	
SCALE NONE		SHEET 2 OF 7	





THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



ORIGINAL DATE 06-05-09	DART AEROSPACE 3030 ENTERPRISE CT., SUITE A VISTA, CA 92081 (760)-724-5300
DRAWN BY S. HUFF	CHECKED P. BRAVO
DRAWING APPROVAL P. BRAVO	APICAL INDUSTRIES, INC. DBA DART AEROSPACE
CONTRACT NO.	SKID DEFLECTOR ASSY
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS $\pm .01$ 3 PLACE DECIMALS $\pm .001$ ANGLES $\pm .5^\circ$	REV E
SCALE NONE	SHEET 3 OF 7

1 2 3 4 5 6 7 8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.






647.1712

ORIGINAL DATE 4/10/01		DESIGN BY J. HUFF		CHECKED BY P. BRAVO		DART 3030 ENTERPRISE CT., SUITE A, VISTA, CA 92081 (760) 724-5300	
DRAWING APPROVAL P. BRAVO		CONTRACT NO.		SKID DEFLECTOR ASSY		REV. E	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .005 ANGLES ± .5°		SHEET 8 OF 7		DWG. NO. 647.1700		SCALE NONE	

1 2 3 4 5 6 7 8



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.





647.1713

ORIGINAL DATE 11/02/2010		DESIGNED S. HUFF		DART AEROSPACE 3030 ENTERPRISE CT., SUITE A VISTA, CA 92081 (760)-724-5300	
DRAWN BY S. HUFF		CHECKED P. BRAVO		APICAL INDUSTRIES, INC. DBA DART AEROSPACE	
DRAWING APPROVAL P. BRAVO		DATE 08/02/07		SKID DEFLECTOR ASSY	
CONTRACT NO.		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ±.01 3 PLACE DECIMALS ±.005 ANGLES ±.5°		REV. E	
SCALE NONE		DWG. NO. 647.1700		SHEET 3 OF 7	


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APCAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APCAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.




VIEW V-V




DETAIL W



647.1716 SHOWN
647.1717 OPPOSITE






DETAIL Y
TYP 2 PL



ORIGINAL DATE 11-01-99		3030 ENTERPRISE CT., SUITE A VISTA, CA 92081 (760)-724-5300	
DRAWN BY J. HUFF	CHECKED P. BRAYO	DART APCAL INDUSTRIES INC. DBA DART AEROSPACE	
DRAWING APPROVAL P. BRAYO			
CONTRACT NO.		SKID DEFLECTOR ASSY 647.1700 SCALE: NONE SHEET 6 OF 7	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .01 3 PLACE DECIMALS ± .005 ANGLES ± .5°		SIZE B	CAGE CODE 07MZ6

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.



647.1718

ORIGINAL DATE		DESIGN	
DRAWN BY		CHECKER	
1. HUR		P. BRAVO	
DRAWING APPROVAL		APPROVAL	
UNLESS OTHERWISE SPECIFIED		DIMENSIONS ARE IN INCHES	
TOLERANCES ARE:		2 PLACE DECIMALS ± .01	
3 PLACE DECIMALS ± .005		ANGLES ± 3°	
SCALE NONE		SHEET 7 OF 7	

DART AEROSPACE		3030 ENTERPRISE CT., SUITE A	
APICAL INDUSTRIES, INC.		VISTA, CA 92081	
(760) 724-5300			
SKID DEFLECTOR ASSY			
SHEET	CAGE CODE	DWG. NO.	REV
B	07M26	647.1700	E



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO35521

Purchase Order Date 3/8/2017

PO Print Date 3/10/2017

Page Number 6 of 7

Order From :

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

15	155353	646.9910 STRUTS REV. N/C	3/27/2017	10.00	\$13.40	\$134.00
----	--------	-----------------------------	-----------	-------	---------	----------

Yes

3/27/2017

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$134.00

16 154826

DAS
38
9-89

647.1713 SPACER REV. E

3/27/2017

Yes

3/27/2017

30.00

\$6.30

\$189.00

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$189.00

17 155358

647.4410 RAIL REV. N/C

3/27/2017

Yes

3/27/2017

18.00

\$10.80

\$194.40

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$194.40

PO Instructions: PRIMER IS SUPPLIED BY DART

Note:

3/10/2017



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913083

Date: 24-Mar-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms		Ship Via	
Quantity	Description		
ea	Struts Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20782 PO: PO35521 Line: 15		
30 ea	Part: 647.1713 ✓ Spacer Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20783 PO: PO35521 Line: 16	Rev: E	SP17-03-27
18 ea	Part: 647.4410 Rail Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20784 PO: PO35521 Line: 17	Rev: N/C	
1 ea	Part: ADMINISTRATION FEE Administrative Fee Job: 20785 PO: PO35521 Line: 19	Rev: N/A	
10 ea	Part: D2348 Wearplate Black Anodize per MIL-A-8625F, Type II, Class 2 Job: 20769 PO: PO35521 Line: 2	Rev: C	
16 ea	Part: 646.2910 Deflector Hard Black Anodize per MIL-A-8625F, Type III, Class 2 Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied) Job: 20770 PO: PO35521 Line: 3	Rev: N/C	
10 ea	Part: 646.3011 RH half	Rev: N/C	



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913083

Date: 24-Mar-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053

Terms	Ship Via																
<table border="1"><thead><tr><th>Quantity</th><th>Description</th></tr></thead><tbody><tr><td></td><td>DATE : <u>24/03/2017</u></td></tr><tr><td></td><td>CERTIFIED SIGNATURE : <u>[Signature]</u></td></tr><tr><td></td><td>RECEIVER SIGNATURE : <u>[Signature]</u></td></tr><tr><td></td><td>Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.</td></tr><tr><td></td><td>CERTIFICATE OF CONFORMANCE</td></tr><tr><td></td><td>A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.</td></tr><tr><td></td><td>MADE IN CANADA.</td></tr></tbody></table>		Quantity	Description		DATE : <u>24/03/2017</u>		CERTIFIED SIGNATURE : <u>[Signature]</u>		RECEIVER SIGNATURE : <u>[Signature]</u>		Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.		CERTIFICATE OF CONFORMANCE		A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.		MADE IN CANADA.
Quantity	Description																
	DATE : <u>24/03/2017</u>																
	CERTIFIED SIGNATURE : <u>[Signature]</u>																
	RECEIVER SIGNATURE : <u>[Signature]</u>																
	Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.																
	CERTIFICATE OF CONFORMANCE																
	A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.																
	MADE IN CANADA.																